






- 1 HOUSING MATERIAL: GLASS-FILLED POLYMER.
- 2 POST MATERIAL: COPPER ALLOY.
- 3 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN PLATE ON POSTS.
- 4 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- 5 PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- 6 MARKING ON THIS SIDE.



SECTION X-X



PC BOARD LAYOUT

1,16	2-15	16	B	5148103-1
1,16	2-15	16	A	
POSITIONS LOADED WITH 4.93 [.194] CONTACTS		POSITIONS LOADED WITH 4.16 [.164] CONTACTS		NO. OF LOADED POSITIONS
THIS DRAWING IS A CONTROLLED DOCUMENT.				REVISED PER ECO-07-018157
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPROVED BY: A. SHARPE
0 PLC ± -		1 PLC ± -		DATE: 21AUG07
1 PLC ± -		2 PLC ± 0.13 [.005]		NAME: ASSEMBLY, PIN, EUROCARD, TYPE 1/2B, 32 POSITION, 2.64 [.104] SOLDER POST WITH MFBL CONTACTS
2 PLC ± -		3 PLC ± -		APPLICATION SPEC: -
3 PLC ± -		4 PLC ± -		SIZE: A1
4 PLC ± -		ANGLES ± -		SCALE: 5:1
MATERIAL: 1, 2		FINISH: 3		RESTRICTED TO: -
WEIGHT: -		PART NUMBER: A100779		SHEET: 1 OF 1
CUSTOMER DRAWING		DRAWING NO: 5148103		REV: 01